

This table defines legal PMX *symbols*. Each one starts with a single character from a non-indented line, followed by characters from subsequent indented lines, with no internal spaces. When characters on the same line are separated by commas, only one can be used, unless otherwise noted. Characters enclosed in [ ] are optional. Several characters, chosen from different lines that are indented the same amount, may be used in sequence. *d1*, *d2* are single digits, so for example *d1[d2]* is a one- or two-digit integer. *i* is any non-negative integer. *x* is any non-negative decimal number.

<b>a,b,c,d,e,f,g</b> [0,2,4,8,1, 3,6,9]  [1,2,3,4,5, 6,7]  [d] [+,- <i>x</i> ] [+,- <i>x</i> ] [d] [f,s,n] [+,- <i>i</i> +,- <i>x</i> ]  [<,> <i>x</i> ] [i] [+,-]  [u,l] [a] [r] [e] [.] [,] [D]  [F] [x <i>i</i> ]    [n] ( <i>blank</i> ) [f] [i] [+,- <i>i</i> ] [+,- <i>x</i> ]	Note name. If first digit, duration. Must include if duration not yet set in current input block. If second digit, Octave number. Must include if octave not yet set in current input block. Dot. Vertical shift, \internotes. Horiz. shift, notehead widths. Double dot. Accidental. Repeat for double. Vertical shift, \internotes; horiz. shift, notehead widths. Horiz. shift, notehead widths. MIDI-only accidental. Shift octave from default (default is within a 4th). Force stem direction. Prohibit beaming this note. Right offset by one notehead. Left offset by one notehead. Dot shortcut: <b>a8.b = ad8 b1</b> 2:1 shortcut: <b>a8,b = a8 b1</b> In xtuplet note only, double duration. Reduce number of notes in xtup by 1. As above, and add dot. An <i>i</i> -tuplet starts here. Duration (already set) refers to total for xtuplet. Next <i>i</i> - 1 notes or rests are in xtuplet. They must have no duration number; may have octave number. Fine-tune printed number. Don't print number. Flip vertical location. Replacement printed number. Vertical shift, \internotes. Horiz. shift, notehead widths.	<b>z</b>  <b>a,b,c,d,e,f,g</b> [f,s,n]  [+,-]  [r,e]  [d]  [+,- <i>x</i> ] [+,- <i>x</i> ]	Chordal note. No duration allowed. Note name. Flat, sharp, natural. Repeat for double flat or sharp. Shift options same as on main note. Up or down one octave. may use several in succession. Right or left offset by one notehead. Dot. Permitted but not required, unless dot is to be shifted. Vertical shift, \internotes. Horiz. shift, notehead widths.
<b>r</b> [0,2,4,8,1, 3,6,9]  [d] [p]  [m <i>i</i> ]  [b]  [o] [+,- <i>i</i> ]  [x <i>i</i> ]	Rest. Duration. Must include if duration not yet set in current input block. Dot. Full-bar rest using 'Pause' symbol (no digit). Multi-bar rest of <i>i</i> bars. Voice #1 only. Normally only used in parts, generated by scor2prt. Blank rest, not printed (this line of music drops from sight). Suppress centering full-bar rest. Raise/lower rest from middle line, \internotes. Start xtup. After above options. See description for main note.	<b>G</b> [i]  [s] [m <i>d1</i> ]  [x] [l,u] [A,W]  ( <i>first note</i> )	Grace note group. Number of notes in group. Not needed if 1. If >1, next <i>i</i> - 1 notes are in grace. Slur to/from main note. Multiplicity (number of flags or beams). Default is 1. Slash. Single grace only. Forced stem direction. Put grace just after main note, or shifted as far right as possible. Must follow the above options, with no space. Use same symbols as normal note.

o	Ornament. Symbol comes after note.	A	Miscellaneous controls. Only at start of first block except i , I
t,m,x,+,u,p, (, ),-,.,> , ^	Shake, mordent, “x”, “+”, pizz., strong pizz., “(” before notehead, “)” after notehead, tenuto, stacc., sfz, duncecap	[i,I x]	Factor on <code>\interstaff</code>
f	Fermata. Default is up.	[d]	Lower dots in lower voice of 2 on a staff
[d]	Convert to down fermata.	[ax]	Change <code>afterruleskip</code> to <i>x</i>
T,Tt	Trill ( <i>tr</i> ) with or without wavy line.	[b,s]	<code>\elemskips</code> . Default is 1.
[x]	Length to end of wavy line, <code>\noteskips</code> . Default is one <code>\noteskip</code> . Use <code>oT0</code> for <i>tr</i> .	[r]	Force big or small accidentals.
g	Segno. Voice #1 only.	[e]	Relative accidentals. Must be set if transposing.
[[ - ] d1 [ d1 ]]	Offset of segno symbol in points.	[S]	Equalize inter-system spacing.
e	Editorial accidental.	- , 0 ; . . . ; - , 0	Tweak accidental spacing for staves made small with in-line TeX.
s,f,n	Sharp, flat, natural.		A string of yes-or-no specifiers, one for each staff.
[?]	Editorial accidental is dubious.	B	Toggles default stem direction for middle line of bass clef. initial direction is up).
?	Text is dubious.	C	Clef change.
[+ , - i]	(After setting ornament type) Raise/lower by <i>i</i> <code>\internotes</code> from default.	t,s,m,a,n,r, b,f or 0-7	New clef. ( <b>t</b> reble, <b>s</b> oprano, <b>m</b> ezzo-soprano, <b>a</b> lto, <b>n</b> enor, <b>r</b> aritone, <b>b</b> ass), <b>F</b> rench violin.
[ : ]	Repeat toggle. Must come last. First instance, after setting ornament type, gives all later notes same ornament, until <code>o :</code> shuts it off.	D	Dynamics.
s,t, )	Slur toggle. Place after note.	p,pp,...,ffff	Pre-defined standard dynamics.
(	Placed before note, same as <b>s</b> placed after.	"text"	Any text string.
[c]	Optional ID code, 1-9 or A-Z . Must be first after <b>s,t,(,)</b> .	[+ , - n ]	Vertical shift from default, <code>\internotes</code> .
[u,d,1]	Force slur direction. Only allowed at slur start.	[+ , - n ]	Horizontal shift from default, notehead widths.
[t]	Position slur end as tie rather than slur.	F	Cancels figures in bass line (use with <code>%1</code> in score file to make a bass part with no figures).
[b]	Dotted slur.	h,w	If followed by number, page height or width. Only at start of first input block.
[+ , - i]	Raise/lower start/end of slur, <code>\internotes</code> .	<i>x</i>	Page height or width.
[+ , - x]	Horizontal shift start/end of slur, notehead widths.	[i,m,p]	Inches, mm, points. Default is points.
[+ , - i]	Mid-height alteration, nonzero, place before slur termination.	h	If followed by blank or [+ , - ], heading. Next input line will print above top staff.
[ : d1d2 ]	Alter starting and ending slope, 1-7.	[+ , - i]	Alter height from default, <code>\internote</code>

I	MIDI controls. Only at start of an input block.
[ <i>tx</i> ]	Set tempo to <i>x</i> beats per minute.
[ <i>px</i> ]	Insert a pause of <i>x</i> quarter notes.
[ <i>i1i2...in</i> ]	Specify <b>noinst</b> MIDI instruments. <i>i1,i2...in</i> are integers between 1 and 128 or 2-letter abbreviations. Consecutive integers must be separated with ":".
[ <i>vi1:i2:...in</i> ]	Specify <b>noinst</b> velocities (volumes), $1 \leq i \leq 128$ .
[ <i>bi1:i2:...in</i> ]	Specify <b>noinst</b> balances $1 \leq i \leq 128$ , 64=center.
[ <i>gi</i> ]	Internote gap in midi tics. Default = 10
[MR <i>i</i> ]	Start recording macro <i>i</i> .
[M]	Stop recording.
[MP <i>i</i> ]	Playback (insert) macro <i>i</i> .
K	Key signature change and/or transposition.
+ , - <i>i</i>	Amount of transposition in \internotes.
+ , - <i>i</i>	New key signature.
1	Next input line is a text string to appear below top staff.
L <i>i</i>	Force a line break at line <i>i</i> . Voice #1 only. Start of block only.
[P <i>i</i> ]	Force a page break at page <i>i</i> .
[M]	Movement break. Must follow P if present.
[+ <i>i</i> ]	Extra vertical space, \internote.
[ <i>ix</i> ]	New indent, decimal fraction of line width.
[c]	Continue bar numbering, do not reset.
[r + , -]	Force or suppress reprinting instrument names.
[n <i>i</i> ]	Change to <i>i</i> instruments.
<i>d1d2...di</i>	Numbers of instruments.
<i>c1c2...ck</i>	Clef symbols. Enter one for every staff in new lineup.

m	Meter change. Voice #1 only. Start of input block only.
o , <i>d1[d2]</i>	True numerator of meter. Use o if full value is exactly 1. If <i>d1</i> =1, numerator is 10+ <i>d2</i> .
<i>d1[d2]</i>	True denominator.
o , <i>d1[d2]</i>	Printed numerator of meter. Use o as above.
<i>d1[d2]</i>	Printed denominator.
<i>d1[d2]/</i>	(Alternate syntax) true numerator
<i>d1[d2]/</i>	true denominator
<i>d1[d2]/</i>	printed numerator
<i>d1[d2]</i>	printed denominator
M	Macro. If alone, ends recording or saving.
[R,S,P]	Record (store and execute), save (store but do not execute), or playback.
<i>i</i>	Macro ID number, from 1 to 20.
P	Start page numbering in this page. Voice #1 only. Start of input block only.
[ <i>i</i> ]	Starting page number. Default is 1.
[r , 1]	Margin for starting page number. Default is 'r'.
[c]	Centered header on each page. Must be last option in symbol. Default text is instrument name
[ <i>text</i> ]	Text with no blanks
[" <i>text</i> "]	Text with blanks
R	Repeat or doublebar. Voice #1 only. Doublebars at start of bar only.
l , r , lr , d , D , dl	Left repeat, right repeat, l-r rpt, doublebar, doubleBAR, doublebar-left repeat.
b	Single bar (end of movement or piece).
S <i>i</i>	Reset total number of systems to <i>i</i> . Only at start of first input block. Only useful with \% <i>j</i> for automatically generated parts.
[P <i>i</i> ]	Force total number of pages to be <i>i</i> .
[m <i>i</i> ]	Change musicsize to <i>i</i> .

T  t[d1[d2]],i,c	Title string. Only at start of first input block. Title of piece (centered), instrument (left justified), or composer (right justified). Following line is the text. Tt may be followed by a number (\internotes) to add vertical space below entire title block. Tt must come after Ti and Tc for this to work.
V  [text]  b,x	Toggle for Volta. Voice #1 only. Start of bar only. For scor2prt, only allowed one per input block, and it must come at start of block. Text for start of volta. May not be “b” or “x”. At end of volta, boxed end or horizontal (no box).
W  .  d1	Set new minimum horizontal space between noteheads. Decimal point (required). Tenths of notehead width. Default is 3.
x  d1  d2  2,3,...,9, #,-,n,0d1	Floating figure (offset to right). Number of note-length units of offset. Note-length unit. Same code as for note durations. Characters for floating figure, arranged as in normal figure.
X [-]x  [p] [:]  [S] [P] [B]	Shift or insert hardspace. Distance. Default units are note-head widths. Units are points. Begin shift (if number also present), end shift (if no number), Single-note shift (S). Use only in part, not score. Use in both score and part.
2,3,...,9,#,-,n  0 (zero) d1 - (underscore)	Normal figure. Voice #1 only. Combine characters as needed. See manual. Continuation figure. Length in \internotes. Placeholder figure, to lower the next one.

[ [j]  [u,1] [f] [m d1] [h]  [+,- i] [+,- i] [+,- i]	Start a forced beam. Continue an existing staff-jumping beam. Direction of forced beam. Flip beam direction. Forced multiplicity. d1 = 1 - 4. Force horizontal beam (zero slope). Vertical offset, \internotes. Change slope from default. Distance to raise or lower beam, beam thk's.
] [ [j]	End forced beam. Keep beam open, prepare to jump to other staff
] [  ]	Between two notes in a forced beam, decrease multiplicity to 1, then immediately increase. Treated as a single symbol, set off by spaces.
] - [  ]	Between two notes in forced beam, end one segment and start next of a single-slope beam group
(  )	Placed before a note, equivalent to s after note. Equivalent to s .
?	Arpeggio start/stop. Comes after note.
\,\\,\\\	Start a literal T <sub>E</sub> X string before next note, before \startmuflex, or before first \notes group of current input block.
Text\  --- (3 minus's)	TeX string and terminator. May have more than one TeX command, strung end-to-end. Toggle for multiline T <sub>E</sub> X block. Must start on first line. All lines until next --- will be copied verbatim to top of T <sub>E</sub> X file.
[ ]	Bar line. Only used for checking, except required after end-of-bar inserted hardspace.
/	Terminate a voice (staff) for this input block.
//	Terminate first line of music on this staff for this input block, start a second line of music on same staff.

<p>%</p> <p>[<i>h</i>] <i>text</i></p> <p>[!] <i>text</i></p> <p>[%]</p>	<p>Comment line.</p> <p>Scor2prt will put <i>text</i> into the part whose hexadecimal number is <i>h</i>.</p> <p><i>text</i> will be put in all parts by scor2prt.</p> <p>Following line will be ignored by scor2prt.</p>
<p>.</p> <p><i>note command</i></p>	<p>Detatched dot-form shortcut.</p> <p>Note will have 1/3 duration of prior note. See note name command.</p>
<p>,</p> <p><i>note command</i></p>	<p>Detatched 2:1 shortcut. Note will have 1/2 duration of prior note. See note name command.</p>